



Project _____

Item numbers _____

Quantity _____

Length _____

Model ALLIN1

The model ALLIN1 has 1/4" Clear Acrylic with round corners and polished edges, the posts are made with 6061 Aircraft grade aluminum. Adjustable push buttons allow the model to flatten and stacked for easy storage. ADM SneezeGuards have been manufacturing sneeze guards for over 33 years located in Antioch California. We have a solid reputation and are known thru out the industry as offering a durable and cost-effective product.

Model Features

- Multiple configuration
- Operator friendly
- 1/2" Aluminum bars
- Portable post

Standard Features

- 1/4" Clear Acrylic with polished edges and round corners.
- Stackable.
- Three joint with 360° freedom
- Locking Points every 15°



Options

- Brushed Aluminum

Accessories

- Adjustable post Pairs
- Support post PC/SS
- Back horizontal tube
- Post clip

All products are manufactured to the highest standards in accordance to NSF and SGCC guidelines. To read more please see our website at www.sneeze-guard.com

Please read our Installation and operating manual for safety and installation guidance.





Model ALLIN1

ALLIN1

This product is covered by one or more of the following patents with additional pending.

- [USD427460S](#) [US6132018A](#) [US8196872B1](#)
- [US9557004B1](#) [USD866309S1](#) [US8936223B1](#)
- [USD699546S1](#) [US9062483B1](#) [USD720604S1](#)
- [USD741696S1](#) [USD741157S1](#) [USD659517S1](#)
- [US8973876B1](#) [USD752908S1](#) [US8302919B1](#)
- [USD625984S1](#) [USD720605S1](#) [USD636658S1](#)
- [US9399882B1](#) [USD719820S1](#) [USD867117S1](#)
- [US9144329B1](#) [USD625170S1](#) [USD719821S1](#)
- [USD741697S1](#) [USD690190S1](#) [US8898862B1](#)
- [US8925153B1](#)



Specifications Options

Bay Option	(Measurements)	Options	Custom Sizes
	options	Post Finish	
1Bay	ALLIN1 24"-96"	Brushed Aluminum	Available

Dimensions

ALLIN1 dimension is 24"- 96", and all 1/4" Clear Acrylic thicknesses.

Shipping

- Shipping with minimum time
- Shipping with safe packaging
- Shipping exact location

Installation requirements

This model adjusts to your conditions in the field and is easily adjusted by a push of a button.

Model ALLIN1 Specification

In this model of ALLIN1 include both sides (Left & Right) post. Each Post distance is up to 100", and shield is up to 96". Its finishes with brushed aluminum. ALLIN1 is a portable model and used 1/4" clear acrylic. It can be flattened and stacked for easy storage. This model has portable options with three joints with 360° freedom, and a locking point every 15°.

It can be easily installed on the food counter or reception desk. Post with simple base flange options. Specially used for food counter or office places.





Model ALLIN1

