



Project _____

Item numbers _____

Quantity _____

Length _____

Model ORBIT900

The model ORBIT900 has 3/8" clear tempered and 3/4" radius corners, and the posts are made with 304 stainless steel. It has multi pivoting options with orbit brackets in multi bays options. It has pivoting adjustable brackets, and compression flange option. This model is available with optional LED lighting which brightens your food on display. ADM SneezeGuards have been manufacturing sneeze guards for over 33 years located in Antioch California. We have a solid reputation and are known thru out the industry as offering a durable and cost-effective product.



Model Features

- Multiple configuration
- Top shelf for display and additional protection
- Operator friendly
- Available with LED lights and food warmers
- Orbit Adjustable brackets (Patented)
- Independent adjustable bays
- Pivoting options
- Adjustable glass and tube height

Standard Features


- 3/8" Clear tempered glass and 3/4" radius corner with polished edges.
- Conformance with ASTN C1048-04 and tested to ANSI Z97.1 standard and certified.
- Multiple finishes
- Mounting options
- 1" Round tubing (23" tall)


Options

- Brushed stainless Steel
- Brushed Aluminum
- LED lighting

Accessories

- Adjustable brackets pairs
- Flange cover
- Support post PC/SS
- Back horizontal tube
- Above counter compression flange
- Post clip

 All products are manufactured to the highest standards in accordance to NSF and SGCC guidelines. To read more please see our website at www.sneeze-guard.com

 Please read our Installation and operating manual for safety and installation guidance.





Model ORBIT900



Above Counter Compression



Below Counter Compression










Below Counter Compression

The below counter compression allows for thru the counter installs and allows for adjustment of post height after install. This flange can not only clamp onto counter but also compress onto post. It can also be reversed mounted so not to void out any solid surface warranty. Speed socket for 3/8" drive ratchet is included ([see video](#)).

Below Counter Compression

The below counter compression allows for thru the counter installs and allows for adjustment of post height after install. This flange can not only clamp onto counter but also compress onto post. It can also be reversed mounted so not to void out any solid surface warranty. Speed socket for 3/8" drive ratchet is included ([see video](#)).

DIMENSIONS (Shown in inches)

<p>Above Counter Compression</p>	<p><u>Top view</u></p> 	<p><u>Front view</u></p> 	<p><u>Perspective view</u></p> 
<p>Below Counter Compression</p>	<p><u>Top view</u></p>  <p>Hole →</p>  <p>Hole required 1-3/8"</p>	<p><u>Front view</u></p> 	<p><u>Perspective view</u></p> 



Model ORBIT900

ORBIT900

This product is covered by one or more of the following patents with additional pending.

- [USD427460S](#) [US6132018A](#) [US8196872B1](#)
- [US9557004B1](#) [USD866309S1](#) [US8936223B1](#)
- [USD699546S1](#) [US9062483B1](#) [USD720604S1](#)
- [USD741696S1](#) [USD741157S1](#) [USD659517S1](#)
- [US8973876B1](#) [USD752908S1](#) [US8302919B1](#)
- [USD625984S1](#) [USD720605S1](#) [USD636658S1](#)
- [US9399882B1](#) [USD719820S1](#) [USD867117S1](#)
- [US9144329B1](#) [USD625170S1](#) [USD719821S1](#)
- [USD741697S1](#) [USD690190S1](#) [US8898862B1](#)
- [US8925153B1](#)



LED BAR SPECIFICATIONS

LED Bar SIZE	24"	30"	36"	42"	48"	54"	60"	66"
Sections	1	1	1	2	2	3	3	3
LED Bulb	18	18	18	18*2	18*2	18*3	18*3	18*3
110v input	12vDC	12v DC	12vDC	12v DC	12v DC	12v DC	12v DC	12vDC
Lumens	360	360	360	720	720	1080	1080	1080

Dimensions

ORBIT900 dimension for 1 Bay, 2 Bay, 3 Bay, and 4 Bay is Up to 8"-54", and all glass Thicknesses are the same size 3/8" and 3/8".

Shipping

- Shipping with minimum time
- Shipping with safe packaging
- Shipping exact location
- Shipping multi-bay with different-different parts





Model ORBIT900

SPECIFICATIONS

Bays options

	(Measurements)- Face Length A	(Measurements)- Face Length B	(Measurements)- Face Length C	(Measurements)- Face Length D	Options				Extras
					End Glass	Flange Covers	Light Bar	Post Finish	Support Posts
1 Bay	24"- 66"	NA	NA	NA	Available	Available	Available	Brushed stainless/co ated black	Available
2 Bay	24"- 66"	24"- 66"	NA	NA	Available	Available	Available	Brushed stainless/co ated black	Available
3 Bay	24"- 66"	24"- 66"	24"- 66"	NA	Available	Available	Available	Brushed stainless/co ated black	Available
4 Bay	24"- 66"	24"- 66"	24"- 66"	24"- 66"	Available	Available	Available	Brushed stainless/co ated black	Available

Dimensions

ORBIT900 dimension for 1 Bay, 2 Bay, 3 Bay, and 4 Bay is Up to 8"-54", and all glass Thicknesses are the same size 3/8" and 3/8".

Shipping

- Shipping with minimum time
- Shipping with safe packaging
- Shipping exact location
- Shipping multi-bay with different-different parts

Installation requirements

Our sneeze guards are designed with center to center dimensions in mind. Please allow for flange width when considering your installation overall size.

Model ORBIT900 Specification

In this model of ORBIT900 model uses 3/8" clear tempered glass and can cover distances is up to 66". Its finishes with brushed stainless steel or powder coat black. In this model, a corner post available with an inner and outer post. This model using the left and right-side end panels. The Led bar is most important part of this model which brings a beautiful look.

It can be easily installed on the food counter or reception desk. Post with strong base flange, which is 3 types like - standard flange, flange with covers, and above counter compression. Specially used for food counter or buffet system.



Model ORBIT900

